| Declassified in Part - Sanitized Copy App | | | 3KUUU 1UU23UU80-5 |
|---|---|--|--|
| , · | CLASSIFIED MESSIGE | The control of the co | nation in the contraction will be a second and the contraction of the |
| ORIG: NPIC | TOP SECRET RUFF NO FOREIGN DISS | EW 1 2 1/13 1/11 10 | ng to the second |
| EXT : | A Est No cita No. II A 1994 cito Anni A No. | 3 | 6 50X1 |
| DATE: 16 JULY 1963 | anagaman jiga mangamanan sa sa sa magandah pinang dang jaga sa jaman pendagai dang bang dang dang dang dang da Banggan dang dang dang dang dang dang dan | | |
| TO : SAC, FTD, ALCOM/AAC, CC PACAF, AFSC, ARMY, CI | NCEUR, HEIDELBERG, | DIA | 50X1 |
| FROM: DIRNSA, NAVY, SSO ARI SSO REDSTONE, DIA (PR | lington hall station OD CTR). USARPAC, 1 | SSO I | INITIALS |
| CONF: FORT BRAGG | | - Chroatest Libe | PRIORITY |
| INFO: OSA/TCO /-/ | | Principal de la companya de la compa | A OPERATIONAL IMMEDIATE |
| (ALSO FOR CIA) | | Comerc Accents | HI CAN SERVICE MELLO STITUTE - PROBE TO MELLO SERVICE |
| | | | |
| | | | OUT 11939 |
| 70 IN | | CITE | Turns, and control for the control of the control o |
| TOP SECRET RUFF NO FOREIG | | | ANDLE VIA TA50X1 |
| KEYHOLE CONTROL SYSTEM. | PETERGARIE FRAM GG | CHANNET C | Om 22 ag 2 |
| | | • | |
| APPROPRIATE TOOS. CITE O | PCEN <u>0203</u> . THE I | following is fro | M THE NATIONAL |
| PHOTOGRAPHIC INTERPRETATI | ON CENTER: | | |
| THE FOLLOWING WILL E | R THE ONLY OAK THAT | r will be issued | ON LOO1: |
| 1. MISSION 4001, | | ON, WAS ACCOMPLI | ILLEGIB |
| 1963 AND CONSISTED OF SIX | PASSES OVER THE U | SSR. | ILLEGIB |
| | | | ILLEGIB |
| | | | |
| However, It | COVERED ONLY THREE | KH-7 COMOR TARG | ETS. ILLEGIB |
| 2. SELECTED PHOTOGR | APHIC REFERENCES FO | OR EACH TARGET O | BSERVED AND |
| REPORTED FOLLOW THE DESCR | TPATION OF THE TARGE | et pass niimber | S ARE SHEETYED |
| | | | |
| WITH EITHER AN "A" FOR AS | CENDING (SOUTH-TO- | NORIH) OR "D" FO | R DESCENDING |
| (north-to-south). Frames | ARE INDICATED BY | Leiters fr. sym | BOLS |
| INDICATING CONDITIONS WHI DOCUMENT NO | | ARANCE OF THE TA | rcet on the |
| ☐ DEGLASSIFIED GLASS. CHANGED TO | TS 8 0 2011 | | |
| MEXI REVIEW DATE | | GRO | <u>UP 1 50X1</u> 1 |
| DATE: 10/9/81 RE | VIEWERI | EXCLUDED FROM A | UTOMATIC DOWN |
| | COORDINATING OFFICERS | GRADING AND DEC | LASSIFICATION_ |
| | TOP SECRET RUFF | APPLICATION AND AND AND AND AND AND AND AND AND AN | |
| RELEASING OFFICER | NO FOREIGN DISSEM | AUTHEN | TOATING OFFICER |

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED. Copy No. Declassified in Part - Sanitized Copy Approved for Release 2013/12/16: CIA-RDP67B00329R000100230086-5

| 1 0 | CLASSIFIED MESSAGE | | ROUTING | | | |
|--|--|---|---|--|------------------------------|--|
| G: | 表现,在1998年1999年,1999年1998年,他们对了古代的主义和公司工程的企会的企业,如此的国际企业工程,由1990年,1990年的国际企业的企业工程, 1990年(1990年1999年),1990年1990年(1990年),他们对了古代的主义和国际企业的企业工程,1990年(1990年),1990年(1990年),1990年(1990年),1990年(1990年),19 | | AND STATES OF THE PROPERTY OF | V 114 C | | |
| T : | TOP SECRET RUFF NO FOREIGN DISSEM | 2 | | | | |
| E | क्षेत्रसाम् भारत प्रकार कारणायः व्यापाया स्थान स्थान स्थापित व्यापायाया स्थापना स्थापना स्थापना स्थापना स्थापन स्थापना स्थापना स्थापन | 1 3 | ত্ৰাৰ কিবলৈ স্বিত্ৰাৰ কৰিব কৰিব কৰিব কৰিব কৰিব কৰিব কৰিব কৰি | | periori i libra i malananna. | |
| | | | | | | |
| DM: | | | | | · | |
| VF 2 | PAGE TWO | TOREC | DEFERRED | PRIORITY | INITIA | |
| • • • • • • • • • • • • • • • • • • • | | 0.000 | ROUTINE | OPERATIONAL IMMEDIATE | INITIA | |
| | | stricture of define | | Andrew Company of Management of State Company of State Co | | |
| | | | | \$ | | |
| | INFO | enniennien von der Herr verschen von der Herr verschen von der Herr verschen von der Herr verschen von der Her Der verschen der Standen von der Standen von der Herr verschen versche verschen versche verschen verschen verschen verschen verschen verschen versche verschen versche ve | CITE | | | |
| | | | | | | |
| PHOTOGRAPHY ARE AS FOLI | Δ. | | | _ | ` | |
| (HEAVY CLOUDS), H (HAZE | e), cs (cfoud shadow), | D (DA | RKNESS), | SD (SEMI- | | |
| DARKNESS), O (OBLIQUITY | | | | | | |
| CTY CITY, INSTALLA | MILON | ŋ | arget num | BERS | | |
| | COORDINA | TES | WAC BE | SUBJ | | |
| ur penza sa-o sam s | SITE B-26 5308n 044 | 415 | | | 50 | |
| SEGMENT OF RI | ing road, west hold rev | ETMEN | T ₉ | | | |
| AND CENTRAL C | BUIDANCE AREA OBSERVED | THROU | GH | | | |
| HEAVY HAZE AN | ND CLOUDS. NO LAUNCH P | ositi | ONS OR | | | |
| | • • | | | | | |
| EQUIPMENT DIS | scernible. No sam supp | ort i | ACILITY | | | |
| • , | scernible. No sam supp n the cloud-pree areas. | ort i | 'acility | | | |
| • , | | ort i | 'ACILITY | | 50 | |
| • , | THE CLOUD-PREE AREAS. LATION | | arcet num | BERS E SUBJ | 50. | |
| CTY CITY, INSTALL | THE CLOUD-FREE AREAS. ATION COORDINAT | es Es | ARGET NUM WAC B | min 1000 (1000) | | |
| CTY CITY, INSTALL UR BATUMI AIR DEFEN | THE CLOUD-PREE AREAS. LATION | <u>es</u> 41521 | ARGET NUM WAC B | min 1000 (1000) | 50. | |
| CTY CITY, INSTALL UR BATUMI AIR DEFEN | THE CLOUD-FREE AREAS. ATION COORDINAT USE SECTOR HQS 4156N OF PERCENT OF BATUMI CITY | <u>es</u> 41521 | ARGET NUM WAC B | min 1000 (1000) | | |

REPRODUCTION BY OTHER THAN THE ISSUING OFFICE IS PROHIBITED, Copy No.

Declassified in Part - Sanitized Copy Approved for Release 2013/12/16: CIA-RDP67B00329R000100230086-5

| | | CLASSIFIED MESSAGE | | ROUTING | | | | |
|--|--|---|--|--|--|--|--|--|
| | TOP SECRE | T RUFF | 2 | M.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C.C | 4 | SE USER AND BUILDINGS AND | Edward Market Parkers | |
| | no foreign | DISSEM | 2 | and the state of the second of | 5 | | THE PART AND ADDRESS OF THE PARTY. | |
| | | | | | 10.1 | MOTO DESCRIPTION NAME (ACTIVITIES NA | Station of September 1981 | |
| ang namahanangga di danggangga yan digalangga digalanggangga nagbangga digalanggan digangga digalangga digalan Mga Paganalan digalanggan digalangga (mga mga paganaga) nagbangga mga paganaga digalangga digalangga digalangg | | ddd dagwyr ynwydd yrdd (arth Chwy fyndd Chwhrigae gyflod glyr gallol Crifydd Ywr o Clygwrmyd Gywri Chwhrifyd gyfl i dill Acel y befyr oll Crifydd Ywr o Clygwrmyd Gywri Chwhrifyd gyfl i dill Acel y befyr old | Section of the sectio | | | | , | |
| | | • | Control of the Contro | , | | | | |
| • | 4 4 | | | DEFERRED | PRIO | RITY | INITIALS | |
| , . | PAGE THREE | - | 200 N | ROUTINE | | | INITIALS | |
| | | , | C C | Secretaristic scales, minima vario e esperantario Portinoles III distribuy nichi konta em elitore espera | IMME | DIATE | 70 | |
| | | * | | | | | | |
| | | • | | | | | | |
| A1 | VFO | Programme Anthon Commission (Commission Commission Commission Commission Commission Commission Commission Comm Programme Anthon Commission Comm | ent and a second of the second se | CITE | 1 | | | |
| | | ಇ ಗುಳಿಸು ದ | | | | | | |
| Luenteren 1 | in Cloud-Free A | mma. | | • | | ٠., | 50X1 | |
| | | | | | , | | 00,11 | |
| CLTY, INSTAL | en la contra de la contra del la co | | | | | | | |
| | | COORDINA | TES | WAC | BE | SUB. | <u> </u> | |
| tura tam instr | NOTION . | 4620N 06 | 448E | | | | 307 | |
| SITE 29/30 | | | | | | | | |
| SITE CONSIST | S OF SUPPORT A | REA CONT | AININ | Q | | - | | |
| APPROXIMATEL | V 20 RITT.DTNGS | | 1 | | | | 50X | |
| මෙයක් ම එමු වැනිස්ස්ස් | ರ ರಾ ಕ್ರಿಕ್ ಕ ್ರಿಕ್ ಯಾಗೆಯ ಪ್ರಕ್ರಿಕ್ ಕ್ರಿಕ್ | | | • | | | 50X | |
| | | | AND I | | - | | | |
| 3,600 X 45 F | t, e/w natural | Surface | , PRO | BABLE | - | | | |
| LANDING STRI | P. NO AIRCRAF | r, instru | MENTA! | rion, | | | | |
| MOBILE EQUIP | MENT, OR CONST | ruction . | activ. | ITY | • | | • | |
| • | | | | | | | | |
| V& 2€26468 8 Ø 82342 0 | · · | | | | - | | 50X | |
| | | | | | | | | |
| | end of m | essage | | • | 0 | | | |
| | | • | | | | | F0\/ | |
| | | • | | | | | 50X | |
| | ARRENOUS CONTRACTOR OF THE PARTY OF THE PART | arne | ٠ | | | | | |
| B, NPIC | | CONTRACTOR | ٠ | | , | - | | |
| | AUT DEFINE | ALUBE E | | | | | | |
| | CITY, INSTAI CITY, INSTAI (URA TAM INSTE SITE 29/30 SITE CONSIST APPROXIMATED 3,600 X 45 E LANDING STRI | TOP SECRE NO FOREIGN PAGE THREE INFO IDENTIFIED IN CLOUD-FREE A CITY, INSTALLATION YURA TAM INSTRUMENTATION SITE 29/30 SITE CONSISTS OF SUPPORT A APPROXIMATELY 20 BUILDINGS 3,600 X 45 FT, E/W NATURAL LANDING STRIP. NO AIRCRAF MOBILE EQUIPMENT, OR CONST. OBSERVED. END OF M | PAGE THREE INFO IDENTIFIED IN CLOUD-FREE AREA. CITY, INSTALLATION COORDINA FURA TAM INSTRUMENTATION 4620N 06 SITE 29/30 SITE CONSISTS OF SUPPORT AREA CONT APPROXIMATELY 20 BUILDINGS 3,600 x 45 FT, E/W NATURAL SURFACE LANDING STRIP. NO AIRCRAFT, INSTRU MOBILE EQUIPMENT, OR CONSTRUCTION OBSERVED. END OF MESSAGE | PAGE THREE INFO IDENTIFIED IN CLOUD-FREE AREA. CITY, INSTALLATION COORDINATES FURA TAM INSTRUMENTATION 4620N 06448E SITE 29/30 SITE CONSISTS OF SUPPORT AREA CONTAINING APPROXIMATELY 20 BUILDINGS AND A 3,600 x 45 FT, E/W NATURAL SURFACE, PROJ LANDING STRIP. NO AIRCRAFT, INSTRUMENTAY MOBILE EQUIPMENT, OR CONSTRUCTION ACTIVATION OBSERVED. END OF MESSAGE | PAGE THREE PAGE T | TOP SECRET RUFF NO FOREIGN DISSEM PAGE THREE PAGE TH | TOP SECRET RUFF NO FOREIGN DISSEM PAGE THREE PAGE THREE PAGE THREE PROBLEM PAGE THREE PROBLEM P | |